

SAFETY DATA SHEET Formalin 5%

Printed: 01/18/2023 Revision: 02/01/2023

Page: 1 of 6

Supersedes Revision: 12/27/2016

1. Product and Company Identification

Product Code: 0003805 **Product Name:** Formalin 5%

Alpha-Tec Systems, Inc. **Company Name: Phone Number:**

1311 SE Cardinal Ct Suite 170 1 (360)260-2779

Vancouver, WA 98683

Web site address: Alphatecsystems.com

Regulatory@Alphatecsystems.com **Email address:**

INFOTRAC Emergency Contact:

> International 00-1- (352)323-3500

Information: North America 1 (800)535-5053

Intended Use: For Laboratory Use Only

Product List Formalin 5%

2. Hazards Identification

Flammable Liquids, Category 2

Acute Toxicity: Inhalation, Category 4 Skin Corrosion/Irritation, Category 2

Skin Sensitization, Category 1 Carcinogenicity, Category 2

Specific Target Organ Toxicity (single exposure), Category 1







GHS Signal Word: Danger

GHS Hazard Phrases: H225 - Highly flammable liquid and vapor.

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H332 - Harmful if inhaled.

H351 - Suspected of causing cancer. H370 - Causes damage to organs

GHS Precautionary Phrases: P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P233 - Keep container tightly closed.

P241 - Use explosion-proof electrical/ventilating/lighting/.../ equipment.

P242 - Use only non-sparking tools.

P243 - Take precautionary measures against static discharge. P260 - Do not breathe dust/fume/gas/mist/vapors/spray.

P264 - Wash hands thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product. P271 - Use only outdoors or in a well-ventilated area.

P272 - Contaminated work clothing should not be allowed out of the workplace. P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P302+352 - IF ON SKIN: Wash with plenty of soap and water. **GHS Response Phrases:**

P303+361+353 - IF ON SKIN (or hair): Remove/take off immediately all contaminated

clothing. Rinse skin with water/shower.

P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing.

P307+311 - IF exposed: Call a POISON CENTER or doctor/physician.

Licensed to Alpha Tec Systems: MIRS SDS, (c) A V Systems, Inc.



SAFETY DATA SHEET Formalin 5%

Page: 2 of 6 Printed: 01/18/2023 Revision: 02/01/2023

Supersedes Revision: 12/27/2016

P308+313 - IF exposed or concerned: Get medical attention/advice. P312 - Call a POISON CENTER or doctor/physician if you feel unwell. P332+313 - If skin irritation occurs, get medical advice/attention.

P333+313 - If skin irritation or rash occurs, seek medical advice/attention.

P362 - Take off contaminated clothing and wash before re-use.

P363 - Wash contaminated clothing before reuse.

P403+235 - Store in cool/well-ventilated place. GHS Storage and Disposal P405 - Store locked up. Phrases:

P501 - Dispose of contents/container to safe area according to state and local guidlines.

Potential Health Effects (Acute and Chronic):

Chronic: Effects may be delayed. Possible risk of harm to the unborn child.

Inhalation: The toxicological properties of this substance have not been fully investigated. Aspiration

may lead to pulmonary edema. Inhalation at high concentrations may cause CNS

depression and asphixiation.

Skin Contact: May cause skin irritation. May cause cyanosis of the extremities.

Eye Contact: May cause eye irritation. May cause chemical conjunctivitis and corneal damage.

Ingestion: May cause gastrointestinal irritation with nausea, vomiting and diarrhea. The

toxicological properties of this substance have not been fully investigated.

3. Composition/Information on Ingredients

CAS#	Hazardous Components (Chemical Name)	Concentration
50-00-0	Formaldehyde {Formalin (solution); Methyl aldehyde (gas)}	1.5 -2.5 %
67-56-1	Methanol {Methyl alcohol; Carbinol; Wood alcohol}	0.5 -1.5 %
7558-79-4	Sodium phosphate, Dibasic {Phosphoric acid, disodium salt; Disodium, hydrogen phosphate}	100.0 -1000. PPM
7558-80-7	Monosodium phosphate	100.0 -1000. PPM

4. First Aid Measures

Emergency and First Aid

Procedures:

In Case of Inhalation: Remove from exposure and move to fresh air immediately. If not breathing, give artificial

respiration. If breathing is difficult, give oxygen. Get medical aid. Do NOT use

mouth-to-mouth resuscitation.

Flush skin with plenty of water for at least 15 minutes while removing contaminated In Case of Skin Contact:

clothing and shoes. Wash clothing before reuse.

Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and In Case of Eye Contact:

lower eyelids.

Never give anything by mouth to an unconscious person. Do NOT induce vomiting. If In Case of Ingestion:

conscious and alert, rinse mouth and drink 2-4 cupfuls of milk or water. Wash mouth out

with water.

Note to Physician: Treat symptomatically and supportively.



SAFETY DATA SHEET Formalin 5%

Page: 3 of 6 Printed: 01/18/2023 Revision: 02/01/2023

Supersedes Revision: 12/27/2016

5. Fire Fighting Measures

Flash Pt: No data. Method Used: Estimate

Explosive Limits: LEL: No data. UEL: No data.

Autoignition Pt: No data.

Suitable Extinguishing Media: In case of fire, use water, dry chemical, chemical foam, or alcohol-resistant foam. Use

water spray to cool fire-exposed containers. Use agent most appropriate to extinguish

fire.

Fire Fighting Instructions: As in any fire, wear a self-contained breathing apparatus in pressure-demand,

MSHA/NIOSH (approved or equivalent), and full protective gear. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Will

burn if involved in a fire. Use water spray to keep fire-exposed containers cool.

Combustible liquid. Vapors may be heavier than air. They can spread along the ground and collect in low or confined areas. Containers may explode when heated. Runoff from

fire control or dilution water may cause pollution.

Flammable Properties and

Hazards:

No data available.

Hazardous Combustion

No data available.

Products:

6. Accidental Release Measures

Steps To Be Taken In Case Material Is Released Or Spilled: Use proper personal protective equipment as indicated in Section 8.

Spills/Leaks: Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container. Avoid runoff into storm sewers and ditches which lead to waterways. Clean up spills immediately, observing precautions in the Protective Equipment section. Remove all sources of ignition. Use a spark-proof tool. Provide

ventilation.

7. Handling and Storage

Precautions To Be Taken in Handling:

Wash thoroughly after handling. Use only in a well-ventilated area. Use with adequate ventilation. Avoid breathing dust, mist, or vapor. Avoid contact with eyes, skin, and clothing. Avoid contact with skin and eyes. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep container tightly closed. Keep away from heat, sparks and flame. Avoid ingestion and inhalation. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose empty containers to heat, sparks or open

flames.

Precautions To Be Taken in Storing:

Keep away from heat, sparks and flame. Keep away from sources of ignition. Store in a tightly closed container. Store in a cool, dry, well-ventilated area away from incompatible substances. Store protected from moisture.

8. Exposure Controls/Personal Protection CAS# **Partial Chemical Name OSHA TWA ACGIH TWA Other Limits** 50-00-0 Formaldehyde {Formalin (solution); PEL: 0.75 ppm CEIL: 0.3 ppm No data STEL: 2 ppm (15 min) Methyl aldehyde (gas)} PEL: 200 ppm 67-56-1 Methanol {Methyl alcohol; Carbinol; TLV: 200 ppm No data. STEL: 250 ppm Wood alcohol} 7558-79-4 Sodium phosphate, Dibasic No data. No data. No data. {Phosphoric acid, disodium salt; Disodium, hydrogen phosphate} No data 7558-80-7 Monosodium phosphate No data. No data.

Licensed to Alpha Tec Systems: MIRS SDS, (c) A V Systems, Inc.



SAFETY DATA SHEET Formalin 5%

Page: 4 of 6 Printed: 01/18/2023 Revision: 02/01/2023

Supersedes Revision: 12/27/2016

Respiratory Equipment

(Specify Type):

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European

Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are

experienced.

Wear appropriate protective eyeglasses or chemical safety goggles as described by Eye Protection:

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

Wear appropriate protective gloves to prevent skin exposure. Protective Gloves:

Other Protective Clothing: Wear appropriate protective clothing to prevent skin exposure.

Engineering Controls (Ventilation etc.):

Facilities storing or utilizing this material should be equipped with an eyewash facility and

a safety shower. Use adequate ventilation to keep airborne concentrations low.

9. Physical and Chemical Properties

[] Gas [X] Liquid [] Solid Physical States:

Colorless/Clear. Appearance and Odor:

Odorless.

No data. pH: No data. Melting Point: **Boiling Point:** No data.

No data. Method Used: Estimate Flash Pt:

No data. Evaporation Rate:

Flammability (solid, gas): No data available.

Explosive Limits: LEL: No data. UEL: No data.

Vapor Pressure (vs. Air or

mm Hg):

No data.

Vapor Density (vs. Air = 1): No data.

Specific Gravity (Water =

1):

No data.

No data. Solubility in Water: Saturated Vapor No data.

Concentration:

Octanol/Water Partition

Coefficient:

No data.

Autoignition Pt: No data. No data. Decomposition

Temperature:

Viscosity: No data.

Information with regard to primary physical hazard:



SAFETY DATA SHEET

Formalin 5%

Printed: 01/18/2023 Revision: 02/01/2023

Page: 5 of 6

Supersedes Revision: 12/27/2016

10. Stability and Reactivity

Stability: Unstable [] Stable [X]

Incompatible materials, ignition sources, Excess heat. **Conditions To Avoid -**

Instability:

Incompatibility - Materials To Moisture.

Avoid:

Hazardous Decomposition or Nitrogen oxides, Carbon monoxide.

Byproducts:

Possibility of Hazardous

Will occur [] Will not occur [X]

Reactions:

No data available. **Conditions To Avoid -**

Hazardous Reactions:

11. Toxicological Information

Epidemiology: No information found. Toxicological Information:

Teratogenicity: No information available. Reproductive Effects: Mutagenicity:

Neurotoxicity:

Carcinogenicity/Other

Information:

CAS# 51219-89-7: Not listed by ACGIH, IARC, NTP, or CA Prop 65.

Carcinogenicity: NTP? No IARC Monographs? No OSHA Regulated? No

12. Ecological Information

No data available.

13. Disposal Considerations

Chemical waste generators must determine whether a discarded chemical is classified Waste Disposal Method:

> as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste generators must consult state and local

hazardous waste regulations to ensure complete and accurate classification.

RCRA P-Series: None listed. RCRA U-Series: None listed.

14. Transport Information

GHS Classification: Flammable Liquids, Category 2 - Danger! Highly flammable liquid and vapor

> Acute Toxicity: Inhalation, Category 4 - Warning! Harmful if inhaled Skin Corrosion/Irritation, Category 2 - Warning! Causes skin irritation

Skin Sensitization, Category 1 - Warning! May cause an allergic skin reaction

Carcinogenicity, Category 2 - Warning! Suspected of causing cancer

Specific Target Organ Toxicity (single exposure), Category 1 - Danger! Causes damage

to organs {<target organs>}

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Not regulated as a hazardous material.

DOT Hazard Class: UN/NA Number:

LAND TRANSPORT (Canadian TDG):

TDG Shipping Name: Not regulated as a hazardous material.

UN Number:

Hazard Class: TDG Classification:

Licensed to Alpha Tec Systems: MIRS SDS, (c) A V Systems, Inc.

GHS format



SAFETY DATA SHEET Formalin 5%

Page: 6 of 6 Printed: 01/18/2023 Revision: 02/01/2023

Supersedes Revision: 12/27/2016

LAND TRANSPORT (European ADR/RID):

ADR/RID Shipping Name: Not regulated as a hazardous material.

UN Number: Hazard Class:

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name: Not regulated as a hazardous material.

UN Number: Packing Group:

Hazard Class:

15. Regulatory Information

EPA SARA (Superti	ina Amenaments a	and Reauthorization	ACT OT 1986) LISTS
` .			,

CAS#	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)	
50-00-0	Formaldehyde {Formalin (solution); Methyl aldehyde (gas)}	Yes 500 LB	Yes NA	Yes	
67-56-1	Methanol {Methyl alcohol; Carbinol; Wood alcohol}	No	Yes NA	Yes	
7558-79-4	Sodium phosphate, Dibasic {Phosphoric acid, disodium salt; Disodium, hydrogen phosphate}	No	Yes NA	No	
7558-80-7	Monosodium phosphate	No	No	No	
CAS#	Hazardous Components (Chemical Name)	Other US EPA or State Lists			
50-00-0	Formaldehyde {Formalin (solution); Methyl aldehyde (gas)}	CA PROP.65: Yes: Canc.; MA Oil/HazMat: Yes; NJ EHS: Yes - 0946; PA HSL: Yes - B			
67-56-1	Methanol {Methyl alcohol; Carbinol; Wood alcohol}	CA PROP.65: Yes: RDTox.; MA Oil/HazMat: Yes; NJ EHS: Yes - 1222; PA HSL: Yes - E			
7558-79-4	Sodium phosphate, Dibasic {Phosphoric acid, disodium salt; Disodium, hydrogen phosphate}	CA PROP.65: No; MA Oil/HazMat: Yes; NJ EHS: No; PA HSL: Yes - E			

16. Other Information

Revision Date: 02/01/2023 **Previous revision:** 12/27/2016

Preparer Name: Tim Meehan

Additional Information About No data available.

Monosodium phosphate

This Product:

7558-80-7

Document & Change Control SDS0135.D.

Number

Company Policy or Disclaimer

Disclaimer: The information provided in this Safety Data Sheet is correct to the best of our

knowledge, information and belief at the

date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any

CA PROP.65: No; MA Oil/HazMat: No; NJ EHS: No; PA HSL:

other materials or in any process, unless specified in the text.