

## 1. Product and Company Identification

**Product Code:** 0003570.1  
**Product Name:** Rapid Auramine O Fluorescent Stain  
**Company Name:** Alpha-Tec Systems, Inc. **Phone Number:** 1 (360)260-2779  
 1311 SE Cardinal Ct Suite 170  
 Vancouver, WA 98683  
**Web site address:** Alphatecsystems.com  
**Email address:** Regulatory@Alphatecsystems.com  
**Emergency Contact:** INFOTRAC  
 International 00-1- (352)323-3500  
 North America 1 (800)535-5053  
**Information:**  
**Intended Use:** For Laboratory Use: Biological Staining  
**Product List** N/A - Single product code.

## 2. Hazards Identification

**Flammable Liquids, Category 2**  
**Skin Corrosion/Irritation, Category 2**  
**Serious Eye Damage/Eye Irritation, Category 2**  
**Germ Cell Mutagenicity, Category 2**  
**Carcinogenicity, Category 2**  
**Specific Target Organ Toxicity (repeated exposure), Category 2**



**GHS Signal Word:** **Danger**

**GHS Hazard Phrases:** H225 - Highly flammable liquid and vapor.  
 H315 - Causes skin irritation.  
 H319 - Causes serious eye irritation.  
 H341 - Suspected of causing genetic defects.  
 H351 - Suspected of causing cancer .  
 H373 - May cause damage to through prolonged or repeated exposure.

**GHS Precaution Phrases:** P201 - Obtain special instructions before use.  
 P202 - Do not handle until all safety precautions have been read and understood.  
 P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking.  
 P233 - Keep container tightly closed.  
 P241 - Use explosion-proof electrical/ventilating/lighting/.../ equipment.  
 P242 - Use only non-sparking tools.  
 P243 - Take precautionary measures against static discharge.  
 P260 - Do not breathe dust/fume/gas/mist/vapors/spray.  
 P264 - Wash hands thoroughly after handling.  
 P280 - Wear protective gloves/protective clothing/eye protection/face protection.

**GHS Response Phrases:** P302+352 - IF ON SKIN: Wash with plenty of soap and water.  
 P303+361+353 - IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.  
 P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P308+313 - IF exposed or concerned: Get medical attention/advice.  
 P314 - Get medical attention/advice if you feel unwell.  
 P332+313 - If skin irritation occurs, get medical advice/attention.  
 P337+313 - If eye irritation persists, get medical advice/attention.

<b>GHS Storage and Disposal Phrases:</b>	P362 - Take off contaminated clothing and wash before re-use. P403+235 - Store in cool/well-ventilated place. P405 - Store locked up.
<b>Inhalation:</b>	Causes respiratory tract irritation. May be harmful if inhaled. The toxicological properties of this substance have not been fully investigated.
<b>Skin Contact:</b>	May cause skin irritation.
<b>Eye Contact:</b>	May cause eye irritation.
<b>Ingestion:</b>	Harmful if swallowed. May cause irritation of the digestive tract. The toxicological properties of this substance have not been fully investigated.

### 3. Composition/Information on Ingredients

CAS #	Hazardous Components (Chemical Name)	Concentration	RTECS #
64-17-5	Ethyl alcohol {Ethanol}	1.0 -10.0 %	KQ6300000
108-95-2	Phenol {Carbolic acid; Hydroxybenzene}	0.3 -3.0 %	SJ3325000
2465-27-2	Auramine O {C.I. 41000; Basic Yellow} (manufacture)	100.0 -1000. PPM	BY3675000

### 4. First Aid Measures

<b>Emergency and First Aid Procedures:</b>	
<b>In Case of Inhalation:</b>	Remove from exposure and move to fresh air immediately. If breathing is difficult, give oxygen. Do not use mouth-to-mouth resuscitation if victim ingested or inhaled the substance; induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Get medical aid.
<b>In Case of Skin Contact:</b>	Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse.
<b>In Case of Eye Contact:</b>	Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid immediately.
<b>In Case of Ingestion:</b>	Do NOT induce vomiting. If conscious and alert, rinse mouth and drink 2-4 cupfuls of milk or water. Never give anything by mouth to an unconscious person.
<b>Note to Physician:</b>	Treat symptomatically and supportively.

### 5. Fire Fighting Measures

<b>Flash Pt:</b>	No data.	
<b>Explosive Limits:</b>	LEL: No data.	UEL: No data.
<b>Autoignition Pt:</b>	No data.	
<b>Suitable Extinguishing Media:</b>	Use water spray, dry chemical, carbon dioxide, or appropriate foam.	
<b>Fire Fighting Instructions:</b>	As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.	
<b>Flammable Properties and Hazards:</b>	No data available.	
<b>Hazardous Combustion Products:</b>	No data available.	

### 6. Accidental Release Measures

**Steps To Be Taken In Case Material Is Released Or Spilled:** Use proper personal protective equipment as indicated in Section 8. Spills/Leaks: Avoid generating dusty conditions. Provide ventilation. Do not let this chemical enter the environment.

### 7. Handling and Storage

**Precautions To Be Taken in Handling:** Use with adequate ventilation. Minimize dust generation and accumulation. Avoid contact with eyes, skin, and clothing. Avoid ingestion and inhalation. Wash thoroughly after handling. Remove contaminated clothing and wash before reuse.

**Precautions To Be Taken in Storing:** Store in a cool, dry place. Store in a tightly closed container. Store in a cool, dry, well-ventilated area away from incompatible substances.

### 8. Exposure Controls/Personal Protection

CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
64-17-5	Ethyl alcohol {Ethanol}	PEL: 400 ppm	TLV: 200 ppm STEL: 400 ppm	No data.
108-95-2	Phenol {Carbolic acid; Hydroxybenzene}	PEL: 5 ppm	TLV: 5 ppm	No data.
2465-27-2	Auramine O {C.I. 41000; Basic Yellow} (manufacture)	No data.	No data.	No data.

**Respiratory Equipment (Specify Type):** A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements or European Standard EN 149 must be followed whenever workplace conditions warrant respirator use.

**Eye Protection:** Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

**Protective Gloves:** Wear appropriate protective gloves to prevent skin exposure.

**Other Protective Clothing:** Wear appropriate protective clothing to prevent skin exposure.

**Engineering Controls (Ventilation etc.):** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use adequate ventilation to keep airborne concentrations low.

### 9. Physical and Chemical Properties

**Physical States:** [ ] Gas [ X ] Liquid [ ] Solid

**Appearance and Odor:** Yellowish.  
phenol-like.

**pH:** No data.

**Melting Point:** No data.

**Boiling Point:** No data.

**Flash Pt:** No data.

**Evaporation Rate:** No data.

**Flammability (solid, gas):** No data available.

**Explosive Limits:** LEL: No data. UEL: No data.

**Vapor Pressure (vs. Air or mm Hg):** No data.

**Vapor Density (vs. Air = 1):** No data.

**Specific Gravity (Water = 1):** No data.  
**Density:** ~ 0.8556 G/CM3  
**Solubility in Water:** No data.  
**Octanol/Water Partition Coefficient:** No data.  
**Autoignition Pt:** No data.  
**Decomposition Temperature:** No data.  
**Viscosity:** No data.

### 10. Stability and Reactivity

**Stability:** Unstable [  ] Stable [  ]  
**Conditions To Avoid - Instability:** Incompatible materials, dust generation, Strong oxidants.  
**Incompatibility - Materials To Avoid:** Strong oxidizing agents.  
**Hazardous Decomposition or Byproducts:** Carbon monoxide, Nitrogen oxides, irritating and toxic fumes and gases, Carbon dioxide.  
**Possibility of Hazardous Reactions:** Will occur [  ] Will not occur [  ]  
**Conditions To Avoid - Hazardous Reactions:** No data available.

### 11. Toxicological Information

**Toxicological Information:** Epidemiology: No information found.  
 Teratogenicity: No information available. Reproductive Effects: Mutagenicity:  
 Neurotoxicity: Other Studies:  
**Carcinogenicity/Other Information:** CAS# 1521-38-6: Not listed by ACGIH, IARC, NTP, or CA Prop 65. CAS# 77-49-6: Not listed by ACGIH, IARC, NTP, or CA Prop 65.

### 12. Ecological Information

**General Ecological Information:** Environmental: No information available.  
 Physical: No information available.  
 Other: Do not empty into drains.

### 13. Disposal Considerations

**Waste Disposal Method:** Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.  
 RCRA P-Series: None listed.  
 RCRA U-Series: None listed.

### 14. Transport Information

**GHS Classification:** Flammable Liquids, Category 2 - Danger! Highly flammable liquid and vapor  
 Skin Corrosion/Irritation, Category 2 - Warning! Causes skin irritation  
 Serious Eye Damage/Eye Irritation, Category 2 - Warning! Causes serious eye irritation  
 Germ Cell Mutagenicity, Category 2 - Warning! Suspected of causing genetic defects  
 Carcinogenicity, Category 2 - Warning! Suspected of causing cancer  
 Specific Target Organ Toxicity (repeated exposure), Category 2 - Warning! May cause damage to {<target organs>} through prolonged or repeated exposure

**LAND TRANSPORT (US DOT):**

**DOT Proper Shipping Name:** Flammable liquids, corrosive, n.o.s. (Ethanol, Phenol)  
**DOT Hazard Class:** 3 FLAMMABLE LIQUID, CORROSIVE  
**UN/NA Number:** UN2924 **Packing Group:** III



**LAND TRANSPORT (Canadian TDG):**

**TDG Shipping Name:** Flammable liquids, corrosive, n.o.s. (Ethanol, Phenol)  
**UN Number:** 2924 **Packing Group:** III  
**Hazard Class:** 3 (8) - FLAMMABLE LIQUID, CORROSIVE **TDG Classification:**

**LAND TRANSPORT (European ADR/RID):**

**ADR/RID Shipping Name:** Flammable liquids, corrosive, n.o.s. (Ethanol, Phenol)  
**UN Number:** 2924 **Packing Group:** III  
**Hazard Class:** 3 (8) - FLAMMABLE LIQUID, CORROSIVE

**AIR TRANSPORT (ICAO/IATA):**

**ICAO/IATA Shipping Name:** Flammable liquids, corrosive, n.o.s. (Ethanol, Phenol)

**15. Regulatory Information**

**EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists**

CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
64-17-5	Ethyl alcohol {Ethanol}	No	No	No
108-95-2	Phenol {Carbolic acid; Hydroxybenzene}	Yes 500 LB	Yes 1000 LB	Yes
2465-27-2	Auramine O {C.I. 41000; Basic Yellow} (manufacture)	No	No	No

**This material meets the EPA**  Yes  No Acute (immediate) Health Hazard  
**'Hazard Categories' defined**  Yes  No Chronic (delayed) Health Hazard  
**for SARA Title III Sections**  Yes  No Fire Hazard  
**311/312 as indicated:**  Yes  No Sudden Release of Pressure Hazard  
 Yes  No Reactive Hazard

CAS #	Hazardous Components (Chemical Name)	Other US EPA or State Lists
64-17-5	Ethyl alcohol {Ethanol}	CA PROP.65: No; MA Oil/HazMat: Yes; NJ EHS: No; PA HSL: Yes - 1
108-95-2	Phenol {Carbolic acid; Hydroxybenzene}	CA PROP.65: No; MA Oil/HazMat: Yes; NJ EHS: Yes - 1487; PA HSL: Yes - E
2465-27-2	Auramine O {C.I. 41000; Basic Yellow} (manufacture)	CA PROP.65: No; MA Oil/HazMat: No; NJ EHS: No; PA HSL: Yes - B

**16. Other Information****Revision Date:** 12/29/2016**Preparer Name:** Tim Meehan**Additional Information About This Product:** No data available.**Document & Change Control Number** SDS0256.B CC16-312.**Company Policy or Disclaimer:** Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.