

# NOCARDIA QUALITY CONTROL LOG

For quality control of Nocardia staining techniques

DATE STAINED	REAGENT LOT NUMBERS	TEST BY	POSITIVE CONTROL RESULTS	NEGATIVE CONTROL RESULTS	COMMENTS
	PRIMARY STAIN				
	STAIN WASH				
	DECOLORIZER				
	COUNTERSTAIN				
	PRIMARY STAIN				
	STAIN WASH				
	DECOLORIZER				
	COUNTERSTAIN				
	PRIMARY STAIN				
	STAIN WASH				
	DECOLORIZER				
	COUNTERSTAIN				
	PRIMARY STAIN				
	STAIN WASH				
	DECOLORIZER				
	COUNTERSTAIN				
	PRIMARY STAIN				
	STAIN WASH				
	DECOLORIZER				
	COUNTERSTAIN				
	PRIMARY STAIN				
	STAIN WASH				
	DECOLORIZER				
	COUNTERSTAIN				
	PRIMARY STAIN				
	STAIN WASH				
	DECOLORIZER				
	COUNTERSTAIN				
	PRIMARY STAIN				
	STAIN WASH				
	DECOLORIZER				
	COUNTERSTAIN				
	PRIMARY STAIN				
	STAIN WASH				
	DECOLORIZER				
	COUNTERSTAIN				
	PRIMARY STAIN				
	STAIN WASH				
	DECOLORIZER				
	COUNTERSTAIN				